

(Certificate of conformity with technical requirements in:)

### ANSI/API Standard 607 - 2005

**Certificate No.:** 

GF1.1(C) FS 153133779-7

Report No.:

2010FM342

Name of applicant / license holder:

Kunshan VIZA Valve Co., Ltd.

Jinlu Road, Private Development Area, Jinxi Town Kunshan City, Jiangsu Province, P.R.China 215324

Name, Address of manufacturer:

Kunshan VIZA Valve Co., Ltd.

Or Refer report No.

Jinlu Road, Private Development Area, Jinxi Town Kunshan City, Jiangsu Province, P.R.China 215324

Herewith is stated that a conformity test according a.m. standard has been conducted. The maximal allowed leakage rates according a.m. standard have not been exceeded by the testing sample(s).

Trunnion Mounted Ball Valve
NPS 2"
Class 150Lb
ASTM A105N
The range of qualification is according table 2 to 5, API 607:2005, 5 <sup>th</sup> edition/ ISO10497-5:2004 2 <sup>nd</sup> edition, listed in Appendix 1. See: Appendix 1, CDF
t

The certificate refers to the above mentioned product. This is to certify that the test specimen provided is in conformity with the standard(s) mentioned above. This certificate does not imply assessment of the production of the product.

Shanghai 28 March, 2010



TÜV Rheinland Group TÜV Rheinland (Shanghai) Co., Ltd. GF1.1 Manager & API Lead Auditor



(Certificate of conformity with technical requirements in:)

#### ANSI/API Standard 607 - 2005

Certificate No.:

GF1.1(C) FS 153133779-8

Report No.:

2010FM343

Name of applicant / license holder:

Kunshan VIZA Valve Co., Ltd.

Jinlu Road, Private Development Area, Jinxi Town Kunshan City, Jiangsu Province, P.R.China 215324

Name, Address of manufacturer:

Or Refer report No.

Kunshan VIZA Valve Co., Ltd.

Jinlu Road, Private Development Area, Jinxi Town Kunshan City, Jiangsu Province, P.R.China 215324

Herewith is stated that a conformity test according a.m. standard has been conducted. The maximal allowed leakage rates according a.m. standard have not been exceeded by the testing sample(s).

Type Designation of tested valve(s)	Ball Valve
Identification:	Trunnion Mounted Ball Valve
Nominal Size(s):	NPS 3"
Pressure rating (ANSI Class):	Class 150Lb
Material:	ASTM A105N
Qualification range:  Technical details of valve components:	The range of qualification is according table 2 to 5, API 607:2005, 5 <sup>th</sup> edition/ ISO10497-5:2004 2 <sup>nd</sup> edition, listed in Appendix 1. See: Appendix 1, CDF

The certificate refers to the above mentioned product. This is to certify that the test specimen provided is in conformity with the standard(s) mentioned above. This certificate does not imply assessment of the production of the product.

Shanghai 28 March, 2010



TÜV Rheinland Group TÜV Rheinland (Shanghai) Co., Ltd. GF1.1 Manager & API Lead Auditor



(Certificate of conformity with technical requirements in:)

### ANSI/API Standard 607 - 2005

**Certificate No.:** 

GF1.1(C) FS 153133779-1

Report No.:

2009FM1464

Name of applicant / license holder:

Kunshan VIZA Valve Co., Ltd.

Jinlu Road, Private Development Area, Jinxi Town Kunshan City, Jiangsu Province, P.R.China 215324

Name, Address of manufacturer:

Or Refer report No.

Kunshan VIZA Valve Co., Ltd.

Jinlu Road, Private Development Area, Jinxi Town Kunshan City, Jiangsu Province, P.R.China 215324

Herewith is stated that a conformity test according a.m. standard has been conducted. The maximal allowed leakage rates according a.m. standard have not been exceeded by the testing sample(s).

Type Designation of tested valve(s)	Ball Valve
Identification:	Trunnion Mounted Ball Valve
Nominal Size(s):	NPS 8"
Pressure rating (ANSI Class):	Class 150Lb
Material:	ASTM A105N
Qualification range:  Technical details of valve components:	The range of qualification is according table 2 to 5, API 607:2005, 5 <sup>th</sup> edition/ ISO10497-5:2004 2 <sup>nd</sup> edition, listed in Appendix 1. See: Appendix 1, CDF

The certificate refers to the above mentioned product. This is to certify that the test specimen provided is in conformity with the standard(s) mentioned above. This certificate does not imply assessment of the production of the product.

Shanghai 1 February, 2010 TÜV Rheinland Group TÜV Rheinland (Shanghai) Co., Ltd. GF1.1 Manager & API Lead Auditor

William Vu



(Certificate of conformity with technical requirements in:)

### ANSI/API Standard 607 - 2005

Certificate No.:

GF1.1(C) FS 153133779-9

Report No.:

2010FM344

Name of applicant / license holder:

Kunshan VIZA Valve Co., Ltd.

Jinlu Road, Private Development Area, Jinxi Town Kunshan City, Jiangsu Province, P.R.China 215324

Name, Address of manufacturer:

Or Refer report No.

Kunshan VIZA Valve Co., Ltd.

Jinlu Road, Private Development Area, Jinxi Town Kunshan City, Jiangsu Province, P.R.China 215324

Herewith is stated that a conformity test according a.m. standard has been conducted. The maximal allowed leakage rates according a.m. standard have not been exceeded by the testing sample(s).

Type Designation of tested valve(s)	Ball Valve
Identification:	Trunnion Mounted Ball Valve
Nominal Size(s):	NPS 2"
Pressure rating (ANSI Class):	Class 600Lb
Material:	ASTM A105N
Qualification range:  Technical details of valve components:	The range of qualification is according table 2 to 5, API 607:2005, 5 <sup>th</sup> edition/ ISO10497-5:2004 2 <sup>nd</sup> edition, listed in Appendix 1. See: Appendix 1, CDF

The certificate refers to the above mentioned product. This is to certify that the test specimen provided is in conformity with the standard(s) mentioned above. This certificate does not imply assessment of the production of the product.

Shanghai 28 March, 2010 TÜV Rheinland Group TÜV Rheinland (Shanghai) Co., Ltd. GF1.1 Manager & API Lead Auditor



(Certificate of conformity with technical requirements in:)

### ANSI/API Standard 607 - 2005

Certificate No.:

GF1.1(C) FS 153133779-2

Report No.:

2009FM1466

Name of applicant / license holder:

Kunshan VIZA Valve Co., Ltd.

Jinlu Road, Private Development Area, Jinxi Town Kunshan City, Jiangsu Province, P.R.China 215324

Name, Address of manufacturer:

Or Refer report No.

Kunshan VIZA Valve Co., Ltd.

Jinlu Road, Private Development Area, Jinxi Town Kunshan City, Jiangsu Province, P.R.China 215324

Herewith is stated that a conformity test according a.m. standard has been conducted. The maximal allowed leakage rates according a.m. standard have not been exceeded by the testing sample(s).

Type Designation of tested valve(s)	Ball Valve
Identification:	Trunnion Mounted Ball Valve
Nominal Size(s):	NPS 3"
Pressure rating (ANSI Class):	Class 600Lb
Material:	ASTM A105N
Qualification range:  Technical details of valve components:	The range of qualification is according table 2 to 5, API 607:2005, 5 <sup>th</sup> edition/ ISO10497-5:2004 2 <sup>nd</sup> edition, listed in Appendix 1. See: Appendix 1, CDF

The certificate refers to the above mentioned product. This is to certify that the test specimen provided is in conformity with the standard(s) mentioned above. This certificate does not imply assessment of the production of the product.

Shanghai 1 February, 2010



TÜV Rheinland Group TÜV Rheinland (Shanghai) Co., Ltd. GF1.1 Manager & API Lead Auditor



(Certificate of conformity with technical requirements in:)

### ANSI/API Standard 607 - 2005

**Certificate No.:** 

GF1.1(C) FS 153133779-3

Report No.:

2009FM1467

Name of applicant / license holder:

Kunshan VIZA Valve Co., Ltd.

Jinlu Road, Private Development Area, Jinxi Town Kunshan City, Jiangsu Province, P.R.China 215324

Name, Address of manufacturer:

Kunshan VIZA Valve Co., Ltd.

Or Refer report No.

Jinlu Road, Private Development Area, Jinxi Town Kunshan City, Jiangsu Province, P.R.China 215324

Herewith is stated that a conformity test according a.m. standard has been conducted. The maximal allowed leakage rates according a.m. standard have not been exceeded by the testing sample(s).

Type Designation of tested valve(s)	Ball Valve
Identification:	Trunnion Mounted Ball Valve
Nominal Size(s):	NPS 8"
Pressure rating (ANSI Class):	Class 600Lb
Material:	ASTM A105N
Qualification range:  Technical details of valve components:	The range of qualification is according table 2 to 5, API 607:2005, 5 <sup>th</sup> edition/ ISO10497-5:2004 2 <sup>nd</sup> edition, listed in Appendix 1. See: Appendix 1, CDF

The certificate refers to the above mentioned product. This is to certify that the test specimen provided is in conformity with the standard(s) mentioned above. This certificate does not imply assessment of the production of the product.

Shanghai 1 February, 2010



TÜV Rheinland Group TÜV Rheinland (Shanghai) Co., Ltd. GF1.1 Manager & API Lead Auditor



(Certificate of conformity with technical requirements in:)

#### ANSI/API Standard 607 - 2005

Certificate No.:

GF1.1(C) FS 153133779-4

Report No.:

2009FM1468

Name of applicant / license holder:

Kunshan VIZA Valve Co., Ltd.

Jinlu Road, Private Development Area, Jinxi Town Kunshan City, Jiangsu Province, P.R.China 215324

Name, Address of manufacturer:

Kunshan VIZA Valve Co., Ltd.

Or Refer report No.

Jinlu Road, Private Development Area, Jinxi Town Kunshan City, Jiangsu Province, P.R.China 215324

Herewith is stated that a conformity test according a.m. standard has been conducted. The maximal allowed leakage rates according a.m. standard have not been exceeded by the testing sample(s).

Type Designation of tested valve(s)	Ball Valve
Identification:	Trunnion Mounted Ball Valve
Nominal Size(s):	NPS 2"
Pressure rating (ANSI Class):	Class 1500Lb
Material:	ASTM A105N
Qualification range:  Technical details of valve components:	The range of qualification is according table 2 to 5, API 607:2005, 5 <sup>th</sup> edition/ ISO10497-5:2004 2 <sup>nd</sup> edition, listed in Appendix 1. See: Appendix 1, CDF

The certificate refers to the above mentioned product. This is to certify that the test specimen provided is in conformity with the standard(s) mentioned above. This certificate does not imply assessment of the production of the product.

Shanghai 1 February, 2010

TÜV Rheinland Group TÜV Rheinland (Shanghai) Co., Ltd. GF1.1 Manager & API Lead Auditor



(Certificate of conformity with technical requirements in:)

### ANSI/API Standard 607 - 2005

Certificate No.: GF1.1(C) FS 153133779-5 Report

Report No.: 2

2009FM1469

Name of applicant / license holder: Kunshan VIZA Valve Co., Ltd.

Jinlu Road, Private Development Area, Jinxi Town Kunshan City, Jiangsu Province, P.R.China 215324

Name, Address of manufacturer:

Or Refer report No.

Kunshan VIZA Valve Co., Ltd.

Jinlu Road, Private Development Area, Jinxi Town Kunshan City, Jiangsu Province, P.R.China 215324

Herewith is stated that a conformity test according a.m. standard has been conducted. The maximal allowed leakage rates according a.m. standard have not been exceeded by the testing sample(s).

Type Designation of tested valve(s)	Ball Valve
Identification:	Trunnion Mounted Ball Valve
Nominal Size(s):	NPS 3"
Pressure rating (ANSI Class):	Class 1500Lb
Material:	ASTM A105N
Qualification range:  Technical details of valve components:	The range of qualification is according table 2 to 5, API 607:2005, 5 <sup>th</sup> edition/ ISO10497-5:2004 2 <sup>nd</sup> edition, listed in Appendix 1. See: Appendix 1, CDF

The certificate refers to the above mentioned product. This is to certify that the test specimen provided is in conformity with the standard(s) mentioned above. This certificate does not imply assessment of the production of the product.

Shanghai 1 February, 2010 TÜV Rheinland Group TÜV Rheinland (Shanghai) Co., Ltd. GF1.1 Manager & API Lead Auditor



(Certificate of conformity with technical requirements in:)

#### ANSI/API Standard 607 - 2005

Certificate No.:

GF1.1(C) FS 153133779-6

Report No.:

2009FM1470

Name of applicant / license holder:

Kunshan VIZA Valve Co., Ltd.

Jinlu Road, Private Development Area, Jinxi Town Kunshan City, Jiangsu Province, P.R.China 215324

Name, Address of manufacturer:

Or Refer report No.

Kunshan VIZA Valve Co., Ltd.

Jinlu Road, Private Development Area, Jinxi Town Kunshan City, Jiangsu Province, P.R.China 215324

Herewith is stated that a conformity test according a.m. standard has been conducted. The maximal allowed leakage rates according a.m. standard have not been exceeded by the testing sample(s).

Type Designation of tested valve(s)	Ball Valve
Identification:	Trunnion Mounted Ball Valve
Nominal Size(s):	NPS 8"
Pressure rating (ANSI Class):	Class 1500Lb
Material:	ASTM A105N
Qualification range:  Technical details of valve components:	The range of qualification is according table 2 to 5, API 607:2005, 5 <sup>th</sup> edition/ ISO10497-5:2004 2 <sup>nd</sup> edition, listed in Appendix 1. See: Appendix 1, CDF

The certificate refers to the above mentioned product. This is to certify that the test specimen provided is in conformity with the standard(s) mentioned above. This certificate does not imply assessment of the production of the product.

Shanghai 1 February, 2010



TÜV Rheinland Group TÜV Rheinland (Shanghai) Co., Ltd. GF1.1 Manager & API Lead Auditor